


## C110

Slot Drill



d <sub>1</sub> Ø Inch	d <sub>1</sub> Ø mm	d <sub>2</sub> Ø <sub>h<sub>6</sub></sub> mm	l <sub>2</sub> mm	l <sub>1</sub> mm	z	l <sub>3</sub> mm	d <sub>3</sub> Ø mm	e-code	USD
	1.00	6	2.5	47	2	-	-	C1101.0	42.25
	1.50	6	3	47	2	-	-	C1101.5	40.75
1/16	1.59	6	3	47	2	-	-	C1101/16	31.00
	1.80	6	4	48	2	-	-	C1101.8	32.60
	2.00	6	4	48	2	-	-	C1102.0	27.60
3/32	2.38	6	5	49	2	-	-	C1103/32	27.00
	2.50	6	5	49	2	-	-	C1102.5	28.40
	2.80	6	5	49	2	-	-	C1102.8	23.70
	3.00	6	5	49	2	-	-	C1103.0	26.10
1/8	3.18	6	6	50	2	-	-	C1101/8	25.45
	3.50	6	6	50	2	-	-	C1103.5	26.60
	3.80	6	7	51	2	-	-	C1103.8	24.45
	4.00	6	7	51	2	-	-	C1104.0	26.15
	4.50	6	7	51	2	-	-	C1104.5	28.50
3/16	4.76	6	8	52	2	-	-	C1103/16	27.00
	4.80	6	8	52	2	-	-	C1104.8	28.40 <sup>1)</sup> 28.40 <sup>2)</sup>
	5.00	6	8	52	2	-	-	C1105.0	25.85
	5.50	6	8	52	2	-	-	C1105.5	31.40
	5.75	6	8	52	2	-	-	C1105.75	32.70 <sup>1)</sup> 32.70 <sup>2)</sup>
	6.00	6	8	52	2	-	-	C1106.0	26.05
1/4	6.35	10	10	60	2	-	-	C1101/4	40.40
	6.50	10	10	60	2	-	-	C1106.5	42.35
	6.75	10	10	60	2	-	-	C1106.75	38.55
	7.00	10	10	60	2	-	-	C1107.0	40.45
	7.50	10	10	60	2	-	-	C1107.5	42.50

d <sub>1</sub> Ø Inch	d <sub>1</sub> Ø mm	d <sub>2</sub> Øh <sub>6</sub> mm	l <sub>2</sub> mm	l <sub>1</sub> mm	z	l <sub>3</sub> mm	d <sub>3</sub> Ø mm	e-code		USD
	7.75	10	11	61	2	-	-	C1107.75	1) 2)	43.70
5/16	7.94	10	11	61	2	-	-	C1105/16		41.60
	8.00	10	11	61	2	-	-	C1108.0		36.35
	8.50	10	11	61	2	-	-	C1108.5		46.35
	9.00	10	11	61	2	-	-	C1109.0		44.05
	9.50	10	11	61	2	-	-	C1109.5		47.95
3/8	9.52	10	13	63	2	22.5	9.5	C1103/8		46.95
	9.70	10	13	63	2	22.5	9.5	C1109.7	1) 2)	49.35
	10.00	10	13	63	2	22.5	9.5	C11010.0		39.70
13/32	10.32	12	13	70	2	-	-	C11013/32		54.20
	10.50	12	13	70	2	-	-	C11010.5		56.80
	11.00	12	13	70	2	-	-	C11011.0		52.00
7/16	11.11	12	13	70	2	-	-	C1107/16		51.00
	11.50	12	13	70	2	-	-	C11011.5		53.50
	11.70	12	16	73	2	27.5	11.5	C11011.7	1) 2)	53.50
	12.00	12	16	73	2	27.5	11.5	C11012.0		46.95
	12.50	12	16	73	2	27.5	11.5	C11012.5		64.30
1/2	12.70	12	16	73	2	27.5	11.5	C1101/2		55.80
	13.00	12	16	73	2	27.5	11.5	C11013.0		62.60
17/32	13.49	12	16	73	2	27.5	11.5	C11017/32		61.30
	13.70	12	16	73	2	27.5	11.5	C11013.7	1) 2)	64.30
	14.00	12	16	73	2	27.5	11.5	C11014.0		58.70
9/16	14.29	12	16	73	2	27.5	11.5	C1109/16		66.50
	15.00	12	16	73	2	27.5	11.5	C11015.0		69.80
	15.70	16	19	79	2	30.5	15.5	C11015.7	1) 2)	72.50
5/8	15.88	16	19	79	2	30.5	15.5	C1105/8		68.90
	16.00	16	19	79	2	30.5	15.5	C11016.0		70.20
	17.00	16	19	79	2	30.5	15.5	C11017.0		90.40
11/16	17.46	16	19	79	2	30.5	15.5	C11011/16		78.20
	17.70	16	19	79	2	30.5	15.5	C11017.7		82.20
	18.00	16	19	79	2	30.5	15.5	C11018.0		80.10
	19.00	16	19	79	2	30.5	15.5	C11019.0		104.00
3/4	19.05	20	22	88	2	37.5	18.5	C1103/4		90.00
	19.70	20	22	88	2	37.5	19.5	C11019.7		94.50
	20.00	20	22	88	2	37.5	19.5	C11020.0		93.30
	21.70	20	22	88	2	37.5	19.5	C11021.7		110.00
	22.00	20	22	88	2	37.5	19.5	C11022.0		120.00
7/8	22.22	20	22	88	2	37.5	19.5	C1107/8		154.00
	24.00	25	26	102	2	45.5	23.5	C11024.0		161.00
	24.70	25	26	102	2	45.5	24.5	C11024.7		147.00
	25.00	25	26	102	2	45.5	24.5	C11025.0		159.00

d <sub>1</sub> Ø Inch	d <sub>1</sub> Ø mm	d <sub>2</sub> Øh <sub>6</sub> mm	l <sub>2</sub> mm	l <sub>1</sub> mm	z	l <sub>3</sub> mm	d <sub>3</sub> Ø mm	e-code		USD
1"	25.40	25	26	102	2	45.5	24.5	C1101		152.00
	26.00	25	26	102	2	45.5	24.5	C11026.0		159.00
	28.00	25	26	102	2	45.5	24.5	C11028.0		190.00
1.1/8	28.58	25	26	102	2	45.5	24.5	C1101.1/8		187.00
	30.00	25	26	102	2	45.5	24.5	C11030.0		196.00
1.1/4	31.75	32	32	112	2	51.5	31.5	C1101.1/4		219.00
	32.00	32	32	112	2	51.5	31.5	C11032.0		229.00
	35.00	32	32	112	2	51.5	31.5	C11035.0	<sup>1)</sup> <sup>3)</sup>	214.00
	36.00	32	32	112	2	51.5	31.5	C11036.0	<sup>1)</sup> <sup>3)</sup>	223.00
1.1/2	38.10	40	38	130	2	55.5	37.0	C1101.1/2	<sup>1)</sup> <sup>3)</sup>	294.00
	40.00	40	38	130	2	59.5	39.0	C11040.0	<sup>1)</sup> <sup>3)</sup>	308.00
1.3/4	44.45	40	38	130	2	59.5	38.0	C1101.3/4	<sup>1)</sup> <sup>3)</sup>	360.00
	45.00	40	38	130	2	59.5	38.0	C11045.0	<sup>1)</sup> <sup>3)</sup>	378.00
	50.00	50	45	147	2	66.5	48.0	C11050.0	<sup>1)</sup> <sup>3)</sup>	511.00

<sup>1)</sup>diameter tolerance h10

<sup>2)</sup>slot not in P9 tolerance

<sup>3)</sup>Available in HSCo only